

<b>L Numb r</b>	<b>Hits</b>	<b>S arch Text</b>	<b>DB</b>	<b>Time stamp</b>
-	23972	scan\$4 and 250/\$.ccls.	USPAT; EPO; JPO; DERWENT	2002/10/17 09:15
-	5665	(scan\$4 and 250/\$.ccls.) and ((illumina\$6 or light\$3 or shin\$3) near3 (surface or document))	USPAT; EPO; JPO; DERWENT	2002/10/17 09:15
-	0	((scan\$4 and 250/\$.ccls.) and ((illumina\$6 or light\$3 or shin\$3) near3 (surface or document))) and (cold-cathode-tube)	USPAT; EPO; JPO; DERWENT	2002/10/17 08:54
-	2007	((scan\$4 and 250/\$.ccls.) and ((illumina\$6 or light\$3 or shin\$3) near3 (surface or document))) and ((receiv\$3 or get\$4 or detect\$3 or sens\$3) near3 (light near2 (reflected or reflecting)))	USPAT; EPO; JPO; DERWENT	2002/10/17 09:16
-	87	((scan\$4 and 250/\$.ccls.) and ((illumina\$6 or light\$3 or shin\$3) near3 (surface or document))) and ((receiv\$3 or get\$4 or detect\$3 or sens\$3) near3 (light near2 (reflected or reflecting)))) and (temperature near2 (detect\$3 or sens\$3 or measur\$5 or assess\$4))	USPAT; EPO; JPO; DERWENT	2002/10/17 09:18
-	3	((scan\$4 and 250/\$.ccls.) and ((illumina\$6 or light\$3 or shin\$3) near3 (surface or document))) and ((receiv\$3 or get\$4 or detect\$3 or sens\$3) near3 (light near2 (reflected or reflecting)))) and (temperature near2 (detect\$3 or sens\$3 or measur\$5 or assess\$4)) ) and (control\$4 near4 signal) and (cold adj cathode)	USPAT; EPO; JPO; DERWENT	2002/10/17 09:01
-	58	((scan\$4 and 250/\$.ccls.) and ((illumina\$6 or light\$3 or shin\$3) near3 (surface or document))) and ((receiv\$3 or get\$4 or detect\$3 or sens\$3) near3 (light near2 (reflected or reflecting)))) and (temperature near2 (detect\$3 or sens\$3 or measur\$5 or assess\$4)) ) and (control\$4 near4 signal)	USPAT; EPO; JPO; DERWENT	2002/10/17 09:19
-	20441	(scanning or scanner) and 250/\$.ccls.	USPAT; EPO; JPO; DERWENT	2002/10/17 09:23
-	4978	((scanning or scanner) and 250/\$.ccls.) and ((illumina\$6 or light\$3 or shin\$3) near3 (surface or document))	USPAT; EPO; JPO; DERWENT	2002/10/17 09:16
-	1776	((scanning or scanner) and 250/\$.ccls.) and ((illumina\$6 or light\$3 or shin\$3) near3 (surface or document))) and ((receiv\$3 or get\$4 or detect\$3 or sens\$3) near3 (light near2 (reflected or reflecting)))	USPAT; EPO; JPO; DERWENT	2002/10/17 09:18

-	74	(((scanning or scanner) and 250/\$.ccls.) and ((illumina\$6 or light\$3 or shin\$3) near3 (surface or document))) and ((receiv\$3 or get\$4 or detect\$3 or sens\$3) near3 (light near2 (r flected or reflecting)))) and (temperature near2 (detect\$3 or sens\$3 or measur\$5 or assess\$4))	USPAT; EPO; JPO; DERWENT	2002/10/17 09:28
-	48	(((scanning or scanner) and 250/\$.ccls.) and ((illumina\$6 or light\$3 or shin\$3) near3 (surface or document))) and ((receiv\$3 or get\$4 or detect\$3 or sens\$3) near3 (light near2 (reflected or reflecting)))) and (temperature near2 (detect\$3 or sens\$3 or measur\$5 or assess\$4)) ) and (control\$4 near4 signal)	USPAT; EPO; JPO; DERWENT	2002/10/17 09:19
-	22706	(scanning or scan or scanner) and 250/\$.ccls.	USPAT; EPO; JPO; DERWENT	2002/10/17 09:45
-	95	((scanning or scan or scanner) and 250/\$.ccls.) and (cold adj cathode)	USPAT; EPO; JPO; DERWENT	2002/10/17 09:24
-	12	(((scanning or scan or scanner) and 250/\$.ccls.) and (cold adj cathode)) and (photoelectric near2 (conver\$4 or rece\$6))	USPAT; EPO; JPO; DERWENT	2002/10/17 09:48
-	0	(((scanning or scan or scanner) and 250/\$.ccls.) and (cold adj cathode)) and (photoelectric near2 (conver\$4 or rece\$6))) and (temperature near2 (detect\$3 or sens\$3 or measur\$5 or assess\$4))	USPAT; EPO; JPO; DERWENT	2002/10/17 09:29
-	0	(((scanning or scan or scanner) and 250/\$.ccls.) and (cold adj cathode)) and (photoelectric near2 (conver\$4 or rece\$6))) and (ambient adj temperature)	USPAT; EPO; JPO; DERWENT	2002/10/17 09:30
-	636	((scanning or scan or scanner) and 250/\$.ccls.) and (ambient adj temperature)	USPAT; EPO; JPO; DERWENT	2002/10/17 09:30
-	95	(((scanning or scan or scanner) and 250/\$.ccls.) and (cold adj cathode)) and (cold adj cathode)	USPAT; EPO; JPO; DERWENT	2002/10/17 09:30
-	0	(((scanning or scan or scanner) and 250/\$.ccls.) and (ambient adj temperature)) and (cold adj cathode)	USPAT; EPO; JPO; DERWENT	2002/10/17 09:30
-	24	(((scanning or scan or scanner) and 250/\$.ccls.) and (ambient adj temperature)) and (photoelectric near2 (conver\$4 or rece\$6))	USPAT; EPO; JPO; DERWENT	2002/10/17 09:31
-	18	(((scanning or scan or scanner) and 250/\$.ccls.) and (ambient adj temperature)) and (photoelectric near2 (conver\$4 or rece\$6))) and (control or controlling)	USPAT; EPO; JPO; DERWENT	2002/10/17 09:31

-	2	(((scanning or scan r scanner) and 250/\$.ccls.) and (ambient adj temperature)) and (phot electric near2 (c nver\$4 or r ce\$6))) and (c ntr l r contr lling)) and cathode	USPAT; EPO; JPO; DERWENT	2002/10/18 08:43
-	22995	((image adj sensing) or (scanning or scan or scanner)) and 250/\$.ccls.	USPAT; EPO; JPO; DERWENT	2002/10/17 10:59
-	1550	((image adj sensing) or (scanning or scan or scanner)) and 250/\$.ccls.) and ((ambient or room) adj temperature)	USPAT; EPO; JPO; DERWENT	2002/10/17 09:47
-	73	(((image adj sensing) or (scanning or scan or scanner)) and 250/\$.ccls.) and ((ambient or room) adj temperature)) and (photoelectric near2 (conver\$4 or rece\$6))	USPAT; EPO; JPO; DERWENT	2002/10/17 10:05
-	4	(((image adj sensing) or (scanning or scan or scanner)) and 250/\$.ccls.) and ((ambient or room) adj temperature)) and (photoelectric near2 (conver\$4 or rece\$6))) and (drive adj signal)	USPAT; EPO; JPO; DERWENT	2002/10/17 09:59
-	1	61171009.pn.	USPAT; EPO; JPO; DERWENT	2002/10/17 10:34
-	528	(((image adj sensing) or (scanning or scan or scanner)) and 250/\$.ccls.) and ((ambient or room) adj temperature)) and (temperature near2 (sens\$3 or detect\$3 or measur\$4))	USPAT; EPO; JPO; DERWENT	2002/10/17 10:05
-	23	(((image adj sensing) or (scanning or scan or scanner)) and 250/\$.ccls.) and ((ambient or room) adj temperature)) and (temperature near2 (sens\$3 or detect\$3 or measur\$4))) and (photoelectric near2 (conver\$4 or rece\$6))	USPAT; EPO; JPO; DERWENT	2002/10/17 10:59
-	9	(((image adj sensing) or (scanning or scan or scanner)) and 250/\$.ccls.) and ((ambient or room) adj temperature)) and (temperature near2 (sens\$3 or detect\$3 or measur\$4))) and (photoelectric near2 (conver\$4 or rece\$6))) and ((control or controlling or drive or driving) adj signal)	USPAT; EPO; JPO; DERWENT	2002/10/17 11:00
-	3	(((image adj sensing) or (scanning or scan or scanner)) and 250/\$.ccls.) and ((ambient or room) adj temperature)) and (temperature near2 (sens\$3 or detect\$3 or measur\$4))) and (photoelectric near2 (conver\$4 or rece\$6))) and ((control or controlling or drive or driving) adj signal)) and cathode	USPAT; EPO; JPO; DERWENT	2002/10/17 10:11
-	0	11-67485.ap.	JPO; DERWENT	2002/10/17 10:37
-	0	1167485.ap.	JPO; DERWENT	2002/10/17 10:38
-	6	1167485.pn.	JPO; DERWENT	2002/10/17 10:38

-	1114	((image adj sensing) or (scanning or scan r scanner)) and 250/\$.ccls.) and impedance	USPAT; EPO; JPO; DERWENT	2002/10/17 10:59
-	97	((image adj sensing) or (scanning or scan r scanner)) and 250/\$.ccls.) and impedance) and (photoelectric near2 (conver\$4 or rece\$6))	USPAT; EPO; JPO; DERWENT	2002/10/17 11:00
-	48	((image adj sensing) or (scanning or scan or scanner)) and 250/\$.ccls.) and impedance) and (photoelectric near2 (conver\$4 or rece\$6))) and ((control or controlling or drive or driving) adj signal)	USPAT; EPO; JPO; DERWENT	2002/10/17 11:01
-	12	((image adj sensing) or (scanning or scan or scanner)) and 250/\$.ccls.) and impedance) and (photoelectric near2 (conver\$4 or rece\$6))) and ((control or controlling or drive or driving) adj signal)) and cathode	USPAT; EPO; JPO; DERWENT	2002/10/18 09:20
-	326	(control\$4 near4 (drive adj signal)) and 250/\$.ccls.	USPAT; EPO; JPO; DERWENT	2002/10/17 11:05
-	19	((control\$4 near4 (drive adj signal)) and 250/\$.ccls.) and (ambient adj temperature)	USPAT; EPO; JPO; DERWENT	2002/10/17 11:20
-	10	((control\$4 near4 (drive adj signal)) and 250/\$.ccls.) and (ambient adj temperature)) and method	USPAT; EPO; JPO; DERWENT	2002/10/17 11:46
-	2	11067485.pn.	USPAT; EPO; JPO; DERWENT	2002/10/17 11:46
-	52	((image adj sensing) or (scanning or scan or scanner))) and impedance) and (photoelectric near2 (conver\$4 or rece\$6))) and ((control or controlling or drive or driving) adj signal)) and cathode	USPAT; EPO; JPO; DERWENT	2002/10/18 08:37
-	12	((scanning or scan or scanner)) and (ambient adj temperature)) and (photoelectric near2 (conver\$4 or rece\$6))) and (control or controlling)) and cathode	USPAT; EPO; JPO; DERWENT	2002/10/18 08:44
-	52	((image adj sensing) or (scanning or scan or scanner))) and impedance) and (photoelectric near2 (conver\$4 or rece\$6))) and ((control or controlling or drive or driving) adj signal)) and cathode	USPAT; EPO; JPO; DERWENT	2002/10/18 09:28
-	32	((image adj sensing) or (scanning or scan or scanner))) and impedance) and (photoelectric near2 (conver\$4 or rece\$6))) and ((control or controlling or drive or driving) adj signal)) and cathode) and electrode	USPAT; EPO; JPO; DERWENT	2002/10/18 09:25

-	1	(((((((image adj sensing) or (scanning or scan r scanner)))) and impedance) and (photoelectric near2 (conver\$4 or rece\$6))) and ((control or controlling r drive or driving) adj signal)) and cath d ) and (electrode near5 impedance)	USPAT; EPO; JPO; DERWENT	2002/10/18 09:27
-	2	(((((((image adj sensing) or (scanning or scan or scanner)))) and impedance) and (photoelectric near2 (conver\$4 or rece\$6))) and ((control or controlling or drive or driving) adj signal)) and cathode) and (electrode near15 impedance)	USPAT; EPO; JPO; DERWENT	2002/10/18 09:27
-	4	(((((((image adj sensing) or (scanning or scan or scanner)))) and (detect\$4 near6 impedance)) and (photoelectric near2 (conver\$4 or rece\$6))) and ((control or controlling or drive or driving) adj signal)) and cathode	USPAT; EPO; JPO; DERWENT	2002/10/18 09:29